


REVISIONS

REV	ECO NO.	DESCRIPTION	BY	DATE	APP'D BY	DATE
1		ORIGINAL RELEASE	K. KOONS	1/26/2011	D. EBY	1/26/2011
2		REDRAWN IN INVENTOR	L.MONTMINY	11/06/203	KCK	11/06/2023



SPECIFICATIONS


USABLE OIL CAPACITY (gal)	PART NUMBER	OUTPUT FLOW RATE (in ³ /min)		VALVE FUNCTION	CHARGER VOLTAGE (VAC)	WEIGHT (lb)
		200 psi	10,000 psi			
0.5	HPU13M	120	15	3-WAY, 2-POS	115	21.2

**UNCONTROLLED DOCUMENT
WILL NOT BE UPDATED**

DIMENSIONS IN INCHES - UNLESS OTHERWISE SPECIFIED

RESTRICTED & CONFIDENTIAL

CONFIDENTIAL PROPERTY OF DANIELS MANUFACTURING CORP. NOT TO BE DISCLOSED TO OTHERS. REPRODUCTION OR USED FOR ANY OTHER PURPOSE EXCEPT AS AUTHORIZED IN WRITING BY DANIELS MANUFACTURING. MUST BE RETURNED TO DANIELS MANUFACTURING CORP. ON COMPLETION OF ORDER OR PURPOSES FOR WHICH LENT.

DRN. L.MONTMINY	DATE 11/6/2023	INTERPRET PER ASME Y14.5M-2018	
CHK'D KCK	DATE 11/6/2023	 DANIELS MANUFACTURING CORP. ORLANDO, FLORIDA CAGE 11851	
APP'D JC	DATE 11/6/2023		
NOTE: THIS DRAWING IS AN OUTLINE DRAWING OF THE RESPECTIVE DMC PART NUMBER INDICATED.		TITLE HYD. POWER UNIT, BATT. ELEC ENVELOPE DRAWING	
WHERE USED:		WHERE USED:	
SIZE B	SCALE N.T.S.	CAD NO. HPU13M_ENV	SHEET 1 OF 1
		PART NO. HPU13M	REV. 2