

GMT SERIES GENERAL MAINTENANCE CRIMP TOOLS



DMC's GMT series crimp tools are connector supplier tools that are well-suited for a variety of standard OEM applications. Each GMT tool features a fixed jaw that is designed for crimping specific components such as stamped and formed contacts, insulated and uninsulated terminals, splices, end caps, and coaxial connectors. Several GMT tools come equipped with an integrated locator designed to secure components in an exact position, ensuring an optimal crimping process. Customers can expect consistently reliable outcomes and an extended operational lifespan.



GMT221

Rockwell Collins Thin-Line I and II
372-2514-080 & 372-2514-010

GMTE221C	BATTERY EQUIVALENT
PMT221	PNEUMATIC EQUIVALENT
G648	GO/NO-GO GAGE

8.8" L x 2.3" W x 0.9" H and 1.2 lbs

Comparable to Collins 359-0697-010 tool



GMT232

M81824 Series Environmental Splices

M22520/37-01

QPL Approved

Suitable for low profile environmental splices between the range of 26-20 (red), 20-16 (blue), and 16-12 (yellow). The tool features a locator affixed to the jaws that holds the splice in place while terminating.

GMTE232C	BATTERY EQUIVALENT
PMT232	PNEUMATIC EQUIVALENT
G411	GO/NO-GO GAGE

8.8" L x 2.3" W x 0.9" H and 1.2 lbs

Comparable to TE AD1377 & AD1375 tool



GMT333

M81824 Series Environmental Splices

M22520/38-02

QPL Approved

The GMT333 is suitable for certain terminals and external power sockets. It is the replacement for the M22520/24 plier crimp tool and the M22520/38-01. When crimping MS20659 terminals use the GMT333 with the GMT337 to form the insulation support.

8.5" L x 2.5" W x 0.5" H and 1.2 lbs

GMTE333C	BATTERY EQUIVALENT
PMT333	PNEUMATIC EQUIVALENT
G1356	GO/NO-GO GAGE



GMT337

MS20659 Uninsulated Terminals
MS25486 Ext. Power Plug Socket

M22520/38-03

QPL Pending

5.2" L x 2" W x 0.7" H and 4.4 lbs

GMT SERIES GENERAL MAINTENANCE CRIMP TOOLS



GMT1005



Solistrand Uninsulated Terminals

The GMT1005 is suitable for terminating uninsulated, tin-plated, copper terminals between the range of 22-10 AWG.

GMTE1005C	BATTERY EQUIVALENT
PMT1005	PNEUMATIC EQUIVALENT
G739	22-16 AWG GO/NO-GO GAGE
G740	16-14 AWG GO/NO-GO GAGE
G741	12-10 AWG GO/NO-GO GAGE

8.4" L x 2.5" W x 0.5" H and 12.8 oz



Comparable to TE 49935 tool



GMT1006



Strato-therm Uninsulated Terminals

The GMT1006 is suitable for terminating uninsulated, nickel-plated, copper terminals and uninsulated, nickel terminals between 22-10 AWG.

GMTE1006C	BATTERY EQUIVALENT
PMT1006	PNEUMATIC EQUIVALENT
G327	22-16 AWG GO/NO-GO GAGE
G328	16-14 AWG GO/NO-GO GAGE
G329	12-10 AWG GO/NO-GO GAGE

8.4" L x 2.5" W x 0.5" H and 12.8 oz



Comparable to TE 49935 tool



GMT1090



M81824/12 Environmental Splices



M22520/44-01



QPL Approved

Suitable for cold applied environmental splices between the range of 26-12 AWG. This crimp tool is ideal for applications where a heat source is not allowed. It also features a locator affixed to the jaws that holds the splice in place while terminating.

GMTE1006C	BATTERY EQUIVALENT
G1122	GO/NO-GO GAGE

8.4" L x 2.3" W x 0.5" H and 1.2 lbs



Comparable to TE AD-1381 tool

OPTIMIZED SOLUTIONS

GMTE SERIES



GMTE tools are equivalent to DMC's GMT hand tools with added benefits of portable power and high-tech features. GMT tools capture crimp data that can be displayed on the LED display or downloaded via Bluetooth®.

Includes a carrying case, 2 18 VDC 2.0 Ah Lithium Ion batteries, and one charger.
4.5" L x 2.9" W x 13" H and 3.1 lbs

PMT SERIES



The PMT series pneumatic crimp tools are equivalent to the GMT hand tools. These tools are ideal for high-production environments.

Includes a 9 ft air hose.
8.4" L x 2.5" W x 0.5" H and 12.8 oz

GMT SERIES GENERAL MAINTENANCE CRIMP TOOLS



MANUFACTURER	APPLICATION	MANUAL TOOL P/N	BATTERY TOOL P/N	PNEUMATIC TOOL P/N
ELCO	ELCO CONTACTS ACCM. Z841-Z842, 60-8017-0313	GMT209	N/A	PMT209
ITT CANNON	ZIF CONNECTOR, SERIES DL, CONTACTS ACCM. 030-2064-010 014 028	GMT206	N/A	PMT206
	D-SUB ECONOMY STANDARD SIZE 20, CONTACTS ACCM. D1100238-34, 35	GMT247	N/A	PMT247
	DL SERIES ZIF CONTACTS ACCM. 030-2064-028/031	GMT260	N/A	N/A
	CCT-D*C-4	GMT287	N/A	N/A
MOLEX	.093" DIA, CONTACTS ACCM. 1189-1190, 1380-1381, 1450-1451 1589-1590, 2046-2047, 2151-2152 2236-2237, 2282-2283	GMT201	N/A	PMT201
	.093" DIA, CONTACTS ACCM. 1560-1561 1786-1787	GMT202	N/A	N/A
	.156" KK TRIFURCON SERIES, CONTACTS ACCM. 2477-2478 2870-2871	GMT203	GMTE203C	PMT203
	.093" DIA CLAPSCON SERIES, CONTACTS ACCM. 1433-1434 6893-6894	GMT204	N/A	PMT204
TE	PCB TERMINALS AND DISCONNECTS, .058" DIA. CONTACTS ACCM. 60983 60789	GMT211	N/A	PMT211
	TE TYPE XI CONTACTS ACCM. 203802, 203816, 203874, 203875	GMT220	GMTE220C	N/A
	MOD U SERIES TYPE IV, IV1/2 & V CONTACTS ACCM. 87045-87046, 87522-87523, 87309- 87110, 87195, 87313, 3010-02102-0100	GMT230	N/A	PMT230

GMT SERIES GENERAL MAINTENANCE CRIMP TOOLS



MANUFACTURER	APPLICATION	MANUAL TOOL P/N	BATTERY TOOL P/N	PNEUMATIC TOOL P/N
TE	CPC SERIES, SIZE 20DF, CONTACTS ACCM. 205201-205202, 205310-205311	GMT241	N/A	N/A
	TE MATE-N-LOK SERIES 60620, 60619	GMT245	N/A	PMT245
	TAB SERIES 66168, 66143, 66169, 66144	GMT262	N/A	N/A
	CONTACT ACCM. 87165, MOLEX CONTACT ACCM. 700580104	GMT295	N/A	N/A
	69363	GMT332	N/A	N/A
	TE MULTIMATE TYPE III+ SERIES. CONTACTS ACCM. 66099, 66101, 66103 66105, 66107, 66109 66646, 66589, 66590 66593, 66596, 66237 66242, 66306, 66311	GMT208	N/A	PMT208
	MOD U SERIES TYPE MOD IV CONTACTS ACCM. 86015, 86016, 87045-87046, MP2500, MT2500	GMT225	N/A	PMT225
	SIZE 20DF, CONTACTS ACCM. 66504-66507, 1801-004, 005, 006, 020, 021, 022	GMT226	N/A	N/A
TERADYNE	TERADYNE 600-0026-000 I/O SERIES, CONTACTS ACCM. 001-6500-51	GMT263	GMTE263C	N/A

Refurbishment Services:

To ensure the longevity of your investment, DMC offers kit refurbishment and calibration services.

NOTICE:

DMC reserves the right to change the kit contents, coverage, and construction.