


| REVISIONS | | | |
|-----------|------------------|--------|--------|
| REV. NO. | DESCRIPTION | DATE | APP'D. |
| 1 | ORIGINAL RELEASE | 4/7/05 | RSR |


**UNCONTROLLED DOCUMENT
WILL NOT BE UPDATED**

| CONTACT | COLOR CODE | 26 | 24 | 22 | 20 | 18 | 16 | WIRE SIZE |
|---|------------|----|----|----|----|----|----|--------------|
| MS3190-20 | RED | 1 | 2 | 3 | 4 | | | SELECTOR NO. |
| MS3190-16 | BLUE | | | | 4 | 5 | 6 | |
| AMPHENOL 200X-375-106S 200X-375-60P | GREEN | | | | 4 | 5 | 6 | |



| POSITIONER COLOR | HOLE DIMENSIONS | ADDITIONAL FEATURES |
|------------------|-------------------------------|---------------------------------|
| RED | $\phi .085$ $\pm .84$ MIN. | |
| BLUE | $\phi .125$ $\pm .84$ MIN. | $\perp \phi .156$ $\pm .055$ |
| GREEN | $\phi .125$ $\pm .84$ MIN. | $\perp \phi .208$ $\pm .114$ |

HOLE AND COUNTERBORE DEPTHS ARE MEASURED FROM TOP OF POSITIONER INSERTS.



▲ RANDOM ORDER OF ROTATION IS ACCEPTABLE.

| | | | |
|--|-------------|-----------------|---------------------|
| RESTRICTED & CONFIDENTIAL | | | |
| CONFIDENTIAL PROPERTY OF DANIELS MANUFACTURING CORP. NOT TO BE REPRODUCED OR DISSEMINATED WITHOUT EXPRESS AUTHORIZATION IN WRITING BY DANIELS MANUFACTURING. MUST BE RETURNED TO DANIELS MANUFACTURING CORP. ON COMPLETION OF ORDER OR OTHER PURPOSE FOR WHICH LENT. | | | |
| ITEM NO. | PART NO. | QTY. | DESCRIPTION/REMARKS |
| DRN J. JOYCE | DATE 4/7/05 | | |
| CHK'D: RRR | DATE 4/7/05 | | |
| APP'D: | DATE | | |
| NOTE: THIS DRAWING IS AN OUTLINE DRAWING OF THE RESPECTIVE PART NUMBER. THE PART NUMBER IS DRAWING NUMBER WITHOUT THE "-ENV" SUFFIX. | | | |
| TITLE | | WHERE USED: APR | |
| ENVELOPE DRAWING TURRET HEAD | | SCALE: 1:1 | |
| DANIELS MANUFACTURING CORP. ORLANDO, FLORIDA GAUGE 11851 | | SHEET 1 OF 1 | |
| DO NOT SCALE DRAWING | | REV. 1 | |