


REVISIONS				
REV. SYM.	E.C.O. NUMBER	DESCRIPTION	BY DATE	APP'D DATE
2		ADDED NOTE	AAM 9-14-01	RRR 9-14-01

**UNCONTROLLED DOCUMENT
WILL NOT BE UPDATED**



AMP CONTACT	14	12	10	8	WIRE SIZE
212007/212008	1	1			SEL. NO. (M300BT)
211159/211161			6	7	

DATAPLATE

NOTE: THE TP1151 POSITIONER IS FUNCTIONALLY EQUIVALENT TO THE SP689, AND IS THE PREFERRED DESIGN BECAUSE IT OFFERS GREATER CONSISTENCY OF THE CRIMP LOCATION, AND ESPECIALLY BECAUSE OF THE IMPROVED STABILITY OF THE CONTACTS WHEN LOADED INTO THE TOOL FOR CRIMPING.

LOCATOR	
HOLE DIMENSIONS	ADDITIONAL FEATURES
∅.145 ∇.590	┌ ∅.250 ∇.295 └ ∅.196 ∇.582

RESTRICTED & CONFIDENTIAL

CONFIDENTIAL PROPERTY OF DANIELS MANUFACTURING CORP. NOT TO BE DISCLOSED TO OTHERS, REPRODUCED OR USED FOR ANY OTHER PURPOSE, EXCEPT AS AUTHORIZED IN WRITING BY DANIELS MANUFACTURING. MUST BE RETURNED TO DANIELS MANUFACTURING CORP. ON COMPLETION OF ORDER OR OTHER PURPOSE FOR WHICH LENT.

DO NOT SCALE DRAWING

DRN. A. MOO-YOUNG	DATE 3-10-99		
CHKD. RRR	DATE 3-10-99		
APP'D.	DATE	TITLE	
APP'D.	DATE	ENVELOPE DRAWING SINGLE POSITION HEAD	
WHERE USED: M300BT		CAD P/N	SHEET 1 OF 1
SIZE A	SCALE NTS	TP1151-ENV	
POSTING		P/N TP1151-ENV	REV. 2